

LIQUID LAUNDRY EMULSIFIER

Page: 1

Compilation date: 17/12/2014

Revision date: 3/06/2015

Revision No: 3

Section 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name: LIQUID LAUNDRY EMULSIFIER

Product code: 13609G
Synonyms: EMULSIFIER

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of substance / mixture: PC35: Washing and cleaning products (including solvent based products).

1.3. Details of the supplier of the safety data sheet

Company name: ChemAnglia Ltd t/a Anglian Chemicals

Millers Close

Fakenham Industrial Estate

Fakenham Norfolk NR21 8NW United Kingdom

Tel: 01328 851407 **Fax:** 01328 855701

Email: tom@anglianchemicals.com

1.4. Emergency telephone number

Emergency tel: 01328 851407

(office hours only)

Section 2: Hazards identification

2.1. Classification of the substance or mixture

Classification under CLP: Eye Irrit. 2: H319

Most important adverse effects: Causes serious eye irritation.

2.2. Label elements

Label elements:

Hazard statements: H319: Causes serious eye irritation.

Signal words: Warning

Hazard pictograms: GHS07: Exclamation mark



LIQUID LAUNDRY EMULSIFIER

Page: 2

Precautionary statements: P264: Wash hands thoroughly after handling.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P305+351+338: IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

2.3. Other hazards

PBT: This product is not identified as a PBT/vPvB substance.

Section 3: Composition/information on ingredients

3.2. Mixtures

Hazardous ingredients:

ALCOHOL ETHOXYLATE

EINECS	CAS	PBT / WEL	CLP Classification	Percent
-	68439-46-3	-	Eye Dam. 1: H318	10-30%
PROPAN-2-OL				
200-661-7	67-63-0	-	Flam. Liq. 2: H225; Eye Irrit. 2: H319; STOT SE 3: H336	1-10%
SODIUM ALKEN	NE SULPHONAT	E 38%		
-	-	-	-	1-10%
BUTYL DIGLYC	OL			
203-961-6	1125-34-5	-	-	1-10%
ALCOHOL ETH	OXYLATE #2			
-	68131-39-5	-	-	1-10%
ISOPROPYL AM	MINE DODECYL	BENZENE SULPHONATE		
271-531-5	68584-24-7	-	-	1-10%
BUTYL GLYCO	L			
203-905-0	111-76-2	-	-	1-10%
ETHYL DIGLYC	OL			
-	-	-	-	1-10%

Section 4: First aid measures

4.1. Description of first aid measures

Skin contact: Wash immediately with plenty of soap and water. **Eye contact:** Bathe the eye with running water for 15 minutes.

Ingestion: Wash out mouth with water.

Inhalation: Move to fresh air in case of accidental inhalation of vapours.

LIQUID LAUNDRY EMULSIFIER

Page: 3

4.2. Most important symptoms and effects, both acute and delayed

Skin contact: There may be mild irritation at the site of contact.

Eye contact: There may be irritation and redness.

Ingestion: There may be soreness and redness of the mouth and throat.

Inhalation: There may be irritation of the throat with a feeling of tightness in the chest.

Delayed / immediate effects: Immediate effects can be expected after short-term exposure.

4.3. Indication of any immediate medical attention and special treatment needed

Section 5: Fire-fighting measures

5.1. Extinguishing media

Extinguishing media: Suitable extinguishing media for the surrounding fire should be used.

5.2. Special hazards arising from the substance or mixture

Exposure hazards: None under normal conditions

5.3. Advice for fire-fighters

Advice for fire-fighters: Wear protective clothing to prevent contact with skin and eyes.

Section 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions: Refer to section 8 of SDS for personal protection details.

6.2. Environmental precautions

Environmental precautions: Contain the spillage using bunding.

6.3. Methods and material for containment and cleaning up

Clean-up procedures: Absorb into dry earth or sand.

6.4. Reference to other sections

Section 7: Handling and storage

7.1. Precautions for safe handling

Handling requirements: Ensure there is sufficient ventilation of the area.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions: Store in a cool, well ventilated area.

Suitable packaging: Must only be kept in original packaging.

7.3. Specific end use(s)

Section 8: Exposure controls/personal protection

LIQUID LAUNDRY EMULSIFIER

Page: 4

8.1. Control parameters

Hazardous ingredients:

PROPAN-2-OL

Workplace exposure limits:

Respirable dust

State	8 hour TWA	15 min. STEL	8 hour TWA	15 min. STEL
UK	999 mg/m3	1250 mg/m3	•	-

BUTYL GLYCOL

UK	25 ppm	50 ppm	-	-
----	--------	--------	---	---

DNEL/PNEC Values

DNEL / PNEC No data available.

8.2. Exposure controls

Engineering measures: Ensure there is sufficient ventilation of the area.

Respiratory protection: Respiratory protection not required.

Hand protection: Protective gloves.Eye protection: Safety glasses.Skin protection: Protective clothing.

Section 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

State: Liquid

Colour: Colourless

Odour: Perceptible odour

Solubility in water: Highly soluble

Viscosity: Non-viscous

Boiling point/range°C: >99 Flash point°C: 60 - 93

pH: 9.5

9.2. Other information

Other information: No data available.

Section 10: Stability and reactivity

10.1. Reactivity

Reactivity: Stable under recommended transport or storage conditions.

10.2. Chemical stability

Chemical stability: Stable under normal conditions.

LIQUID LAUNDRY EMULSIFIER

Page: 5

10.3. Possibility of hazardous reactions

Hazardous reactions: Hazardous reactions will not occur under normal transport or storage conditions.

10.4. Conditions to avoid

Conditions to avoid: Strong oxidizers. Strong Acids

10.5. Incompatible materials

Materials to avoid: Acids. Strong oxidising agents.

10.6. Hazardous decomposition products

Haz. decomp. products: Combustion will generate: oxides of carbon

Section 11: Toxicological information

11.1. Information on toxicological effects

Hazardous ingredients:

ALCOHOL ETHOXYLATE

ORL RAT	LD50	200 - 2000	mg/kg
---------	------	------------	-------

PROPAN-2-OL

IVN	RAT	LD50	1088	mg/kg
ORL	MUS	LD50	3600	mg/kg
ORL	RAT	LD50	5045	mg/kg
SCU	MUS	LDLO	6	gm/kg

SODIUM ALKENE SULPHONATE 38%

ORL	DAT	LDEO	>2000	/1
URI	IRAI	LD50	>2000	ma/ka
UI L	1 1/1 1 1		72000	111g/ Kg

ETHYL DIGLYCOL

ORL	RAT	LD50	5.6	ml/kg
SKN	RBT	LD50	4.2	ml/kg

Relevant hazards for substance:

Hazard	Route	Basis
Serious eye damage/irritation	OPT	Hazardous: calculated

Symptoms / routes of exposure

Skin contact: There may be mild irritation at the site of contact.

Eye contact: There may be irritation and redness.

Ingestion: There may be soreness and redness of the mouth and throat.

Inhalation: There may be irritation of the throat with a feeling of tightness in the chest.

LIQUID LAUNDRY EMULSIFIER

Page: 6

Delayed / immediate effects: Immediate effects can be expected after short-term exposure.

Section 12: Ecological information

12.1. Toxicity

Hazardous ingredients:

ALCOHOL ETHOXYLATE

-	48H EC50	1 - 10	mg/l
-	96H LC50	1 - 10	mg/l

ETHYL DIGLYCOL

FATHEAD MINNOWS	96H LC50	>10000	mg/l
-	48H EC50	>10000	mg/l

12.2. Persistence and degradability

Persistence and degradability: Biodegradable.

12.3. Bioaccumulative potential

Bioaccumulative potential: No bioaccumulation potential.

12.4. Mobility in soil

12.5. Results of PBT and vPvB assessment

PBT identification: This product is not identified as a PBT/vPvB substance.

12.6. Other adverse effects

Section 13: Disposal considerations

13.1. Waste treatment methods

NB: The user's attention is drawn to the possible existence of regional or national regulations regarding disposal.

Section 14: Transport information

14.1. UN number

UN number: Not Regulated

14.2. UN proper shipping name

14.3. Transport hazard class(es)

14.4. Packing group

LIQUID LAUNDRY EMULSIFIER

Page: 7

14.5. Environmental hazards

Environmentally hazardous: No Marine pollutant: No

14.6. Special precautions for user

Section 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.2. Chemical Safety Assessment

Section 16: Other information

Other information

Other information: This safety data sheet is prepared in accordance with Commission Regulation (EU) No

453/2010.

* indicates text in the SDS which has changed since the last revision.

Phrases used in s.2 and s.3: H225: Highly flammable liquid and vapour.

H318: Causes serious eye damage. H319: Causes serious eye irritation.

H336: May cause drowsiness or dizziness.

Legal disclaimer: The above information is believed to be correct but does not purport to be all inclusive

and shall be used only as a guide. This company shall not be held liable for any

damage resulting from handling or from contact with the above product.