

CHEWING GUM REMOVER

Page: 1
Compilation date: 19/03/2015

Revision No: 1

Section 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

#### Product name: CHEWING GUM REMOVER

Product code: 61342

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of substance / mixture: PC35: Washing and cleaning products (including solvent based products).

.. ....

#### 1.3. Details of the supplier of the safety data sheet

Company name:	ChemAnglia	Ltd t/a A	nglian	Chemicals

Millers Close

Fakenham Industrial Estate

- Fakenham
- Norfolk

NR21 8NW

United Kingdom

Tel: 01328 851407

Fax: 01328 855701

Email: tom@anglianchemicals.com

#### 1.4. Emergency telephone number

Emergency tel: 01328 851407

(office hours only)

# Section 2: Hazards identification

#### 2.1. Classification of the substance or mixture

Classification under CHIP: -: R66

Classification under CLP: Eye Irrit. 2: H319; -: EUH066

## Most important adverse effects: Repeated exposure may cause skin dryness or cracking.

2.2. Label elements

Label elements:	
Hazard statements:	EUH066: Repeated exposure may cause skin dryness or cracking.
	H319: Causes serious eye irritation.
Signal words:	Warning
Hazard pictograms:	GHS07: Exclamation mark



#### CHEWING GUM REMOVER

		Page:	2
Precautionary statements:	P264: Wash hands thoroughly after handling.		
	P280: Wear protective gloves/protective clothing/eye protection/face protection.		
	P301+310: IF SWALLOWED: Immediately call a POISON CENTER/doctor/.		
	P305+351+338: IF IN EYES: Rinse cautiously with water for several minutes. Remove		
	contact lenses, if present and easy to do. Continue rinsing.		
	P331: Do NOT induce vomiting.		
Label elements under CHIP:			
Hazard symbols:	Harmful.		
	×		

Risk phrases: R66: Repeated exposure may cause skin dryness or cracking. Safety phrases: S62: If swallowed, do not induce vomiting: seek medical advice immediately and show this container or label.

2.3. Other hazards

PBT: This product is not identified as a PBT/vPvB substance.

#### Section 3: Composition/information on ingredients

#### 3.2. Mixtures

#### Hazardous ingredients:

#### PARAFFINS (PETROLEUM), NORMAL C5-20

EINECS	CAS	CHIP Classification	CLP Classification	Percent
-	-	Xn: R65; -: R66	-	70-90%
4-METHYLPEN	TAN-2-OL			

203-551-7	108-11-2	-: R10; Xi: R37	Flam. Liq. 3: H226; STOT SE 3: H335	1-10%
ALCOHOL ETH	OXYLATE			
-	68439-46-3	Xn: R22; Xi: R41	Eye Dam. 1: H318	<1%

Contains: D'Limonene

# Section 4: First aid measures

#### 4.1. Description of first aid measures

Skin contact: Wash immediately with plenty of soap and water.

Eye contact: Bathe the eye with running water for 15 minutes.

Ingestion: Do not induce vomiting. Consult a doctor.

Inhalation: Move to fresh air in case of accidental inhalation of vapours.

#### CHEWING GUM REMOVER

#### 4.2. Most important symptoms and effects, both acute and delayed

Skin contact: There may be mild irritation at the site of contact.

Eye contact: There may be irritation and redness.

**Ingestion:** There may be soreness and redness of the mouth and throat. There may be vomiting and diarrhoea.

Inhalation: There may be irritation of the throat with a feeling of tightness in the chest.

Delayed / immediate effects: Immediate effects can be expected after short-term exposure.

4.3. Indication of any immediate medical attention and special treatment needed

#### Section 5: Fire-fighting measures

5.1. Extinguishing media

Extinguishing media: Suitable extinguishing media for the surrounding fire should be used.

#### 5.2. Special hazards arising from the substance or mixture

Exposure hazards: In combustion emits toxic fumes of carbon dioxide / carbon monoxide.

#### 5.3. Advice for fire-fighters

#### Section 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions: Turn leaking containers leak-side up to prevent the escape of liquid.

#### 6.2. Environmental precautions

Environmental precautions: Contain the spillage using bunding.

#### 6.3. Methods and material for containment and cleaning up

Clean-up procedures: Absorb into dry earth or sand.

#### 6.4. Reference to other sections

#### Section 7: Handling and storage

#### 7.1. Precautions for safe handling

Handling requirements: Ensure there is sufficient ventilation of the area.

#### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions: Store in a cool, well ventilated area.

Suitable packaging: Must only be kept in original packaging.

7.3. Specific end use(s)

Specific end use(s): Gum Removal

#### CHEWING GUM REMOVER

Page: 4

#### Section 8: Exposure controls/personal protection

#### 8.1. Control parameters

### Hazardous ingredients:

#### 4-METHYLPENTAN-2-OL

#### Workplace exposure limits:

Respirable dust

State	8 hour TWA	15 min. STEL	8 hour TWA	15 min. STEL
UK	106 mg/m3	170 mg/m3	-	-

#### **DNEL/PNEC** Values

DNEL / PNEC No data available.

#### 8.2. Exposure controls

Engineering measures:Ensure there is sufficient ventilation of the area.Respiratory protection:Respiratory protection not required.Hand protection:Protective gloves.Eye protection:Safety glasses.Skin protection:Protective clothing.

#### Section 9: Physical and chemical properties

#### 9.1. Information on basic physical and chemical properties

State:	Liquid
Colour:	Colourless
Odour:	Orange
Solubility in water:	Miscible
Viscosity:	Non-viscous
Flash point°C:	60 - 93

pH: Approx. 7

#### 9.2. Other information

Other information: No data available.

#### Section 10: Stability and reactivity

10.1. Reactivity

**Reactivity:** Stable under recommended transport or storage conditions.

10.2. Chemical stability

Chemical stability: Stable under normal conditions.

#### 10.3. Possibility of hazardous reactions

Hazardous reactions: Hazardous reactions will not occur under normal transport or storage conditions.

#### CHEWING GUM REMOVER

#### 10.4. Conditions to avoid

Conditions to avoid: Sources of ignition. Hot surfaces.

#### 10.5. Incompatible materials

Materials to avoid: Strong oxidising agents. Strong bases.

# 10.6. Hazardous decomposition products

Haz. decomp. products: In combustion emits toxic fumes of carbon dioxide / carbon monoxide.

#### Section 11: Toxicological information

#### 11.1. Information on toxicological effects

#### Hazardous ingredients:

#### 4-METHYLPENTAN-2-OL

ORL	MUS	LDLO	1	gm/kg
ORL	RAT	LD50	2590	mg/kg

#### ALCOHOL ETHOXYLATE

	ORL	RAT	LD50	200 - 2000	mg/kg
--	-----	-----	------	------------	-------

Toxicity values: No data available.

#### Symptoms / routes of exposure

Skin contact: There may be mild irritation at the site of contact.

Eye contact: There may be irritation and redness.

**Ingestion:** There may be soreness and redness of the mouth and throat. There may be vomiting and diarrhoea.

**Inhalation:** There may be irritation of the throat with a feeling of tightness in the chest.

Delayed / immediate effects: Immediate effects can be expected after short-term exposure.

#### Section 12: Ecological information

#### 12.1. Toxicity

#### Hazardous ingredients:

#### ALCOHOL ETHOXYLATE

-	48H EC50	1 - 10	mg/l
-	96H LC50	1 - 10	mg/l

#### 12.2. Persistence and degradability

#### 12.3. Bioaccumulative potential

#### CHEWING GUM REMOVER

#### 12.4. Mobility in soil

#### 12.5. Results of PBT and vPvB assessment

PBT identification: This product is not identified as a PBT/vPvB substance.

#### 12.6. Other adverse effects

#### Section 13: Disposal considerations

#### 13.1. Waste treatment methods

**NB:** The user's attention is drawn to the possible existence of regional or national regulations regarding disposal.

#### Section 14: Transport information

14.1. UN number

UN number: UN1268

14.2. UN proper shipping name

Shipping name: PETROLEUM PRODUCTS, N.O.S.

14.3. Transport hazard class(es)

Transport class: 3

14.4. Packing group

Packing group: |||

14.5. Environmental hazards

Environmentally hazardous: No

Marine pollutant: No

14.6. Special precautions for user

Tunnel code: D/E

Transport category: 3

Section 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.2. Chemical Safety Assessment

Section 16: Other information

#### Other information

Other information: This safety data sheet is prepared in accordance with Commission Regulation (EU) No

453/2010.

\* indicates text in the SDS which has changed since the last revision.

#### CHEWING GUM REMOVER

Page: 7

# Phrases used in s.2 and s.3:EUH066: Repeated exposure may cause skin dryness or cracking.<br/>H226: Flammable liquid and vapour.<br/>H318: Causes serious eye damage.<br/>H319: Causes serious eye irritation.<br/>H335: May cause respiratory irritation.<br/>R10: Flammable.<br/>R22: Harmful if swallowed.<br/>R37: Irritating to respiratory system.<br/>R41: Risk of serious damage to eyes.<br/>R65: Harmful: may cause lung damage if swallowed.<br/>R66: Repeated exposure may cause skin dryness or cracking.Legal disclaimer:The above information is believed to be correct but does not purport to be all inclusive<br/>and shall be used only as a guide. This company shall not be held liable for any<br/>damage resulting from handling or from contact with the above product.