

RUST REMOVER

Page: 1 Compilation date: 24/02/2014 Revision date: 18/05/2015 Revision No: 2

Section 1: Identification of the substance/mixture and of the company/undertaking

## 1.1. Product identifier

Product name: RUST REMOVER Product code: 61803A

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of substance / mixture: PC14: Metal surface treatment products, including galvanic and electroplating products.

### 1.3. Details of the supplier of the safety data sheet

Company name: ChemAnglia Ltd t/a Anglian Chemicals

Millers Close

Fakenham Industrial Estate

Fakenham

Norfolk

NR21 8NW

United Kingdom

Tel: 01328 851407

Fax: 01328 855701

Email: tom@anglianchemicals.com

# 1.4. Emergency telephone number

Emergency tel: 01328 851407

(office hours only)

# Section 2: Hazards identification

### 2.1. Classification of the substance or mixture

Classification under CLP: Eye Irrit. 2: H319

Most important adverse effects: Causes serious eye irritation.

# 2.2. Label elements

Label elements: Hazard statements: H319: Causes serious eye irritation. Signal words: Warning Hazard pictograms: GHS07: Exclamation mark



#### RUST REMOVER

Page: 2

Precautionary statements: P264: Wash hands thoroughly after handling.

P280: Wear protective gloves/protective clothing/eye protection/face protection.
P305+351+338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P405: Store locked up.
P501: Dispose of container to waste collection skip/container.

### 2.3. Other hazards

PBT: This product is not identified as a PBT/vPvB substance.

## Section 3: Composition/information on ingredients

#### 3.2. Mixtures

#### Hazardous ingredients:

#### POLYMERIC CHELATOR BLEND

EINECS	CAS	PBT / WEL	CLP Classification	Percent	
-	Polymer	-	-	10-30%	

#### (HYDROGENATED C16-C18) AMINE

-	-	-	-	1-10%
ALCOHOL ETHOXYLATE				
-	68439-46-3	-	Eye Dam. 1: H318	1-10%

#### Section 4: First aid measures

#### 4.1. Description of first aid measures

Skin contact: Wash immediately with plenty of soap and water.

**Eye contact:** Bathe the eye with running water for 15 minutes. Consult a doctor.

**Ingestion:** Do not induce vomiting. Wash out mouth with water. Give 1 cup of water to drink every 10 minutes.

Inhalation: Move to fresh air in case of accidental inhalation of vapours.

#### 4.2. Most important symptoms and effects, both acute and delayed

Skin contact: There may be mild irritation at the site of contact.

Eye contact: There may be irritation and redness.

Ingestion: There may be soreness and redness of the mouth and throat.

Inhalation: There may be irritation of the throat with a feeling of tightness in the chest.

#### 4.3. Indication of any immediate medical attention and special treatment needed

#### Section 5: Fire-fighting measures

## RUST REMOVER

#### Page: 3

#### 5.1. Extinguishing media

Extinguishing media: Suitable extinguishing media for the surrounding fire should be used.

#### 5.2. Special hazards arising from the substance or mixture

Exposure hazards: In combustion emits toxic fumes of carbon dioxide / carbon monoxide.

#### 5.3. Advice for fire-fighters

### Section 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions: Do not attempt to take action without suitable protective clothing - see section 8 of SDS.

Turn leaking containers leak-side up to prevent the escape of liquid.

### 6.2. Environmental precautions

Environmental precautions: Contain the spillage using bunding.

# 6.3. Methods and material for containment and cleaning up

Clean-up procedures: Absorb into dry earth or sand.

# 6.4. Reference to other sections

### Section 7: Handling and storage

#### 7.1. Precautions for safe handling

Handling requirements: Ensure there is sufficient ventilation of the area.

## 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions: Store in a cool, well ventilated area.

Suitable packaging: Must only be kept in original packaging.

7.3. Specific end use(s)

## Section 8: Exposure controls/personal protection

8.1. Control parameters

Workplace exposure limits: No data available.

**DNEL/PNEC** Values

DNEL / PNEC No data available.

## 8.2. Exposure controls

Engineering measures:Ensure there is sufficient ventilation of the area.Respiratory protection:Respiratory protection not required.Hand protection:Protective gloves.Eye protection:Safety glasses. Ensure eye bath is to hand.

### RUST REMOVER

Skin protection: Protective clothing.

### Section 9: Physical and chemical properties

#### 9.1. Information on basic physical and chemical properties

State:	Liquid
Colour:	Green-blue
Odour:	Pleasant
Solubility in water:	Miscible in all proportions
Viscosity:	Viscous
Boiling point/range°C:	100
pH:	<2

Flash point°C: >93

9.2. Other information

Other information: No data available.

## Section 10: Stability and reactivity

10.1. Reactivity

Reactivity: Stable under recommended transport or storage conditions.

10.2. Chemical stability

Chemical stability: Stable under normal conditions.

## 10.3. Possibility of hazardous reactions

Hazardous reactions: Hazardous reactions will not occur under normal transport or storage conditions.

10.4. Conditions to avoid

Conditions to avoid: Heat.

10.5. Incompatible materials

Materials to avoid: Strong bases. Strong oxidising agents.

10.6. Hazardous decomposition products

## Section 11: Toxicological information

11.1. Information on toxicological effects

Hazardous ingredients:

## (HYDROGENATED C16-C18) AMINE

ORL RAT LD50 >2000 mg/kg	
--------------------------	--

Page: 4

## RUST REMOVER

## **Page:** 5

ALCOHOL ETHOXYLATE					
ORL	RAT	LD50	200 - 2000	mg/kg	
Toxicity values:	No data available.				
Symptoms / routes of exposu	'e				
Skin contact: There may be mild irritation at the site of contact.					
Eye contact:	Eye contact: There may be irritation and redness.				
Ingestion: There may be soreness and redness of the mouth and throat.					
Inhalation:	Inhalation: There may be irritation of the throat with a feeling of tightness in the chest.				
Section 12: Ecological inform	ation				
12.1. Toxicity					
Hazardous ingredients: (HYDROGENATED C16-C18)	AMINE				

-	72H IC50	<1	mg/l
-	48H EC50	<1	mg/l
-	96H LC50	1	mg/l

### ALCOHOL ETHOXYLATE

-	48H EC50	1 - 10	mg/l
-	96H LC50	1 - 10	mg/l

12.2. Persistence and degradability

12.3. Bioaccumulative potential

12.4. Mobility in soil

# 12.5. Results of PBT and vPvB assessment

PBT identification: This product is not identified as a PBT/vPvB substance.

12.6. Other adverse effects

# Section 13: Disposal considerations

## 13.1. Waste treatment methods

NB: The user's attention is drawn to the possible existence of regional or national

regulations regarding disposal.

# Section 14: Transport information

## RUST REMOVER

**Page:** 6

#### 14.1. UN number

UN number: Not Regulated

# 14.2. UN proper shipping name

14.3. Transport hazard class(es)

14.4. Packing group

14.5. Environmental hazards

Environmentally hazardous: No

Marine pollutant: No

14.6. Special precautions for user

Section 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.2. Chemical Safety Assessment

## Section 16: Other information

#### Other information

Other information:	: This safety data sheet is prepared in accordance with Commission Regulation (EU) No	
	453/2010.	
	* indicates text in the SDS which has changed since the last revision.	
Phrases used in s.2 and s.3:	H318: Causes serious eye damage.	
	H319: Causes serious eye irritation.	
Legal disclaimer:	The above information is believed to be correct but does not purport to be all inclusive	
	and shall be used only as a guide. This company shall not be held liable for any	
	damage resulting from handling or from contact with the above product.	